INDEX TO VOLUME 25

Subject Index

Abortion

Abortion from Statistics to Ethics, Book Review of: *Abortion, Medicine and the Law*, J. D. Butler and D. F. Walbert, eds. Rev. by B. M. Dickens, p. 182.

Abortion Patients Who Grieve, Update, p. 243.

Abortion Pill and Blood Loss, Update, p. 98.

Adolescent Males' Abortion Attitudes: Data from a National Survey, see **Teenagers**.

Easier, Cheaper Medical Abortion, Update, p. 2.

High Levels of Genital Tract Infection Found Among Abortion Patients, Digest, p. 279.

Measuring Public Attitudes on Abortion: Methodological and Substantive Considerations, see **Public Opinion**.

Nonsurgical Abortion Alternative, Update, p. 242.

Oral Prostaglandin Proves Effective as Supplement to Mifepristone for Nonsurgical Abortions in France, Digest, p. 235.

Pill Use and Abortion in Sweden, see **Oral Contraceptives**.

Public Funding for Contraceptive, Sterilization and Abortion Services, Fiscal Year 1992, see **Government Policy, Programming and Funding**

Restoration of Abortion Services at Cook County Hospital, The, P. Donovan, Special Report, p. 227.

Teenage Abortion, Birth and Pregnancy Statistics by State, 1988, see **Teenagers**.

Ties Bind Abortion, Religion, Update, p. 194.

U.S. Abortion Mortality, Update, p. 3.

Barrier Methods

Acceptability of Dual Method Use, M. Steiner and C. Joanis, Letter, p. 234.

Can Condom Users Likely to Experience Condom Failure Be Identified? M. Steiner, C. Piedrahita, L. Glover and C. Joanis, p. 220.

Changes in Adolescent Males' Use of and Attitudes Toward Condoms, 1988–1991, see **Teenagers**.

Condom Characteristics: The Perceptions and Preferences of Men in the United States, W. R. Grady, D. H. Klepinger, J. O. G. Billy and K. Tanfer, p. 67.

Condom Use Among U.S. Men, 1991, K. Tanfer, W. R. Grady, D. H. Klepinger and J. O. G. Billy, p. 61.

Condom Use Is Low Among U.S. Heterosexuals at Risk of HIV Infection; 15% of Population Has at Least One Risk Factor, Digest, p. 43.

Consistent Condom Use Is Rare Among Never-Married American Women, 1988 Survey Shows, Digest, p. 283.

Contraceptive Efficacy of the Diaphragm, the Sponge and the Cervical Cap, J. Trussell, J. Strickler and B. Vaughan, p. 100.

Danes' Great Condom Use, Update, p. 146.

Infection History and Prophylaxis, see **Sexually Transmitted Diseases**.

Male Teenagers Seem to Know More About Condoms, Are More Comfortable Obtaining Them Than Females, Digest, p. 94.

Minorities, Women Who Lack Influence on Partner Often Fail to Use Condom, Digest, p. 143.

Multiple Heterosexual Partners and Condom Use Among Hispanics and Non-Hispanic Whites, B. V. O. Marín, C. A. Gómez and N. Hearst, p. 170.

Nonlatex Condom Hits Market, Update, p. 195.

Program Offers Counseling and Condoms to Philadelphia Students, see **Evaluation of Programs**.

Reactions to Female Condom, Update, p. 242.

Young Women More Likely to Use Condoms with New Partners Who Prefer Method, Digest, p. 45.

Contraception: General

Adolescent Males' Orientation Toward Paternity and Contraception, see **Teenagers**.

Public Funding for Contraceptive, Sterilization and Abortion Services, Fiscal Year 1992, see **Government Policy, Programming and Funding**

Contraceptive Practice

Acceptability of Dual Method Use, see **Barrier Methods**.

Can Condom Users Likely to Experience Condom Failure Be Identified? see **Barrier Methods**.

Close to Half of Women Aged 13–44 Are at Risk of Unintended Pregnancy, Digest, p. 44.

Comparison of Contraceptive Implant Adopters and Pill Users in a Family Planning Clinic in Baltimore, see **Hormonal Implants and Injectables**.

Consistent Condom Use Is Rare Among Never-Married American Women, 1988 Survey Shows, see **Barrier Methods**.

Contraceptive and Sexual Practices Among Single Women with an Unplanned Pregnancy: Partner Influences, P. O'Campo, R. R. Faden, A. C. Gielen, N. Kass and J. Anderson, p. 215.

Danes' Great Condom Use, see **Barrier Methods**.

Influence of Community Characteristics on the Practice of Effective Contraception, The, W. R. Grady, D. H. Klepinger and J. O. G. Billy, p. 4.

Women's Contraceptive Attitudes and Use in 1992, J. D. Forrest and R. R. Fordyce, p. 175.

Evaluation of Programs

Educational Outcomes in Teenage Pregnancy and Parenting Programs: Results from a Demonstration, L. Warrick, J. B. Christianson, J. Walruff and P. C. Cook, p. 148.

For Speedy Medicaid Enrollment, Indianapolis Sends a 'Babygram,' Program Spotlight, p. 181.

Obstacles to Prenatal Care Following Implementation of a Community-Based Program to Reduce Financial Barriers, S. M. Harvey and K. S. Faber, p. 32.

Program Offers Counseling and Condoms to Philadelphia Students, Program Spotlight, p. 180.

Successful Chlamydia Screening, see **Sexually Transmitted Diseases**.

Fertility: Planning and Effects

Low National Fertility a Concern to Japanese Couples; Half Have Two Children and Most Want No More, Digest, p. 278.

Number of U.S. Births Climbed Again in 1990, Matching 1962 Level, Digest, p. 236.

Reflections on Replacement, N. B. Ryder, Comment, p. 273.

Tajiks Have the Highest Fertility Rates in Newly Independent Central Asia, Digest, p. 141.

With Number of Pregnancies in 1988 Reaching Record High, U.S. Pregnancy Rate Increases to 1980 Level, Digest, p. 144.

Government Policy, Programming and Funding

Can Clinics Give Postcoital Pills? see **Postcoital Contraception**.

Close to Half of Women Aged 13–44 Are at Risk of Unintended Pregnancy, see **Contraceptive Practice**.

For Speedy Medicaid Enrollment, Indianapolis Sends a 'Babygram,' see **Evaluation of Programs**.

Injectable Hormones and Regulatory Controversy: An End to the Long-Running Story? see **Hormonal Implants and Injectables**

Medicaid Eligibility Expansions for Pregnant Women: Evaluating the Strength of State Implementation Efforts. The, R. B. Gold, S. Singh and J. Frost, p. 196.

Medicaid Expansion Falls Short? Update, p. 99.

Public Funding for Contraceptive, Sterilization and Abortion Services, Fiscal Year 1992, D. Daley and R. B. Gold, p. 244.

Questions of Balance: Issues Emerging from the Introduction of the Hormonal Implant, see **Hormonal Implants and Injectables**

Hormonal Implants and Injectables

Comparison of Contraceptive Implant Adopters and Pill Users in a Family Planning Clinic in Baltimore, C. S. Weisman, S. B. Plichta, D. E. Tirado and K. H. Dana, p. 224.

Early Success for Single Implant, Update, p. 50.

Injectable Hormones and Regulatory Controversy: An End to the Long-Running Story? M. Klitsch, Special Report, p. 37.

Questions of Balance: Issues Emerging from the Introduction of the Hormonal Implant, J. D. Forrest and L. Kaeser, Special Report, p. 127.

Law and Policy

State Legislation on Reproductive Health in 1992: What Was Proposed and Enacted, T. Sollom, Special Report, p. 87.

Males

Adolescent Males' Abortion Attitudes: Data from a National Survey, see **Teenagers**.

Adolescent Males' Orientation Toward Paternity and Contraception, see **Teenagers**.

Changes in Adolescent Males' Use of and Attitudes Toward Condoms, 1988–1991, see **Teenagers**.

Condom Characteristics: The Perceptions and Preferences of Men in the United States, see **Barrier Methods**.

INDEX TO VOLUME 25

Subject Index

Abortion

Abortion from Statistics to Ethics, Book Review of: *Abortion, Medicine and the Law*, J. D. Butler and D. F. Walbert, eds. Rev. by B. M. Dickens, p. 182.

Abortion Patients Who Grieve, Update, p. 243.

Abortion Pill and Blood Loss, Update, p. 98.

Adolescent Males' Abortion Attitudes: Data from a National Survey, see **Teenagers**.

Easier, Cheaper Medical Abortion, Update, p. 2.

High Levels of Genital Tract Infection Found Among Abortion Patients, Digest, p. 279.

Measuring Public Attitudes on Abortion: Methodological and Substantive Considerations, see **Public Opinion**.

Nonsurgical Abortion Alternative, Update, p. 242.

Oral Prostaglandin Proves Effective as Supplement to Mifepristone for Nonsurgical Abortions in France, Digest, p. 235.

Pill Use and Abortion in Sweden, see **Oral Contraceptives**.

Public Funding for Contraceptive, Sterilization and Abortion Services, Fiscal Year 1992, see **Government Policy, Programming and Funding**

Restoration of Abortion Services at Cook County Hospital, The, P. Donovan, Special Report, p. 227.

Teenage Abortion, Birth and Pregnancy Statistics by State, 1988, see **Teenagers**.

Ties Bind Abortion, Religion, Update, p. 194.

U.S. Abortion Mortality, Update, p. 3.

Barrier Methods

Acceptability of Dual Method Use, M. Steiner and C. Joanis, Letter, p. 234.

Can Condom Users Likely to Experience Condom Failure Be Identified? M. Steiner, C. Piedrahita, L. Glover and C. Joanis, p. 220.

Changes in Adolescent Males' Use of and Attitudes Toward Condoms, 1988–1991, see **Teenagers**.

Condom Characteristics: The Perceptions and Preferences of Men in the United States, W. R. Grady, D. H. Klepinger, J. O. G. Billy and K. Tanfer, p. 67.

Condom Use Among U.S. Men, 1991, K. Tanfer, W. R. Grady, D. H. Klepinger and J. O. G. Billy, p. 61.

Condom Use Is Low Among U.S. Heterosexuals at Risk of HIV Infection; 15% of Population Has at Least One Risk Factor, Digest, p. 43.

Consistent Condom Use Is Rare Among Never-Married American Women, 1988 Survey Shows, Digest, p. 283.

Contraceptive Efficacy of the Diaphragm, the Sponge and the Cervical Cap, J. Trussell, J. Strickler and B. Vaughan, p. 100.

Danes' Great Condom Use, Update, p. 146.

Infection History and Prophylaxis, see **Sexually Transmitted Diseases**.

Male Teenagers Seem to Know More About Condoms, Are More Comfortable Obtaining Them Than Females, Digest, p. 94.

Minorities, Women Who Lack Influence on Partner Often Fail to Use Condom, Digest, p. 143.

Multiple Heterosexual Partners and Condom Use Among Hispanics and Non-Hispanic Whites, B. V. O. Marín, C. A. Gómez and N. Hearst, p. 170.

Nonlatex Condom Hits Market, Update, p. 195.

Program Offers Counseling and Condoms to Philadelphia Students, see **Evaluation of Programs**.

Reactions to Female Condom, Update, p. 242.

Young Women More Likely to Use Condoms with New Partners Who Prefer Method, Digest, p. 45.

Contraception: General

Adolescent Males' Orientation Toward Paternity and Contraception, see **Teenagers**.

Public Funding for Contraceptive, Sterilization and Abortion Services, Fiscal Year 1992, see **Government Policy, Programming and Funding**

Contraceptive Practice

Acceptability of Dual Method Use, see **Barrier Methods**.

Can Condom Users Likely to Experience Condom Failure Be Identified? see **Barrier Methods**.

Close to Half of Women Aged 13–44 Are at Risk of Unintended Pregnancy, Digest, p. 44.

Comparison of Contraceptive Implant Adopters and Pill Users in a Family Planning Clinic in Baltimore, see **Hormonal Implants and Injectables**.

Consistent Condom Use Is Rare Among Never-Married American Women, 1988 Survey Shows, see **Barrier Methods**.

Contraceptive and Sexual Practices Among Single Women with an Unplanned Pregnancy: Partner Influences, P. O'Campo, R. R. Faden, A. C. Gielen, N. Kass and J. Anderson, p. 215.

Danes' Great Condom Use, see **Barrier Methods**.

Influence of Community Characteristics on the Practice of Effective Contraception, The, W. R. Grady, D. H. Klepinger and J. O. G. Billy, p. 4.

Women's Contraceptive Attitudes and Use in 1992, J. D. Forrest and R. R. Fordyce, p. 175.

Evaluation of Programs

Educational Outcomes in Teenage Pregnancy and Parenting Programs: Results from a Demonstration, L. Warrick, J. B. Christianson, J. Walruff and P. C. Cook, p. 148.

For Speedy Medicaid Enrollment, Indianapolis Sends a 'Babygram,' Program Spotlight, p. 181.

Obstacles to Prenatal Care Following Implementation of a Community-Based Program to Reduce Financial Barriers, S. M. Harvey and K. S. Faber, p. 32.

Program Offers Counseling and Condoms to Philadelphia Students, Program Spotlight, p. 180.

Successful Chlamydia Screening, see **Sexually Transmitted Diseases**.

Fertility: Planning and Effects

Low National Fertility a Concern to Japanese Couples; Half Have Two Children and Most Want No More, Digest, p. 278.

Number of U.S. Births Climbed Again in 1990, Matching 1962 Level, Digest, p. 236.

Reflections on Replacement, N. B. Ryder, Comment, p. 273.

Tajiks Have the Highest Fertility Rates in Newly Independent Central Asia, Digest, p. 141.

With Number of Pregnancies in 1988 Reaching Record High, U.S. Pregnancy Rate Increases to 1980 Level, Digest, p. 144.

Government Policy, Programming and Funding

Can Clinics Give Postcoital Pills? see **Postcoital Contraception**.

Close to Half of Women Aged 13–44 Are at Risk of Unintended Pregnancy, see **Contraceptive Practice**.

For Speedy Medicaid Enrollment, Indianapolis Sends a 'Babygram,' see **Evaluation of Programs**.

Injectable Hormones and Regulatory Controversy: An End to the Long-Running Story? see **Hormonal Implants and Injectables**

Medicaid Eligibility Expansions for Pregnant Women: Evaluating the Strength of State Implementation Efforts. The, R. B. Gold, S. Singh and J. Frost, p. 196.

Medicaid Expansion Falls Short? Update, p. 99.

Public Funding for Contraceptive, Sterilization and Abortion Services, Fiscal Year 1992, D. Daley and R. B. Gold, p. 244.

Questions of Balance: Issues Emerging from the Introduction of the Hormonal Implant, see **Hormonal Implants and Injectables**

Hormonal Implants and Injectables

Comparison of Contraceptive Implant Adopters and Pill Users in a Family Planning Clinic in Baltimore, C. S. Weisman, S. B. Plichta, D. E. Tirado and K. H. Dana, p. 224.

Early Success for Single Implant, Update, p. 50.

Injectable Hormones and Regulatory Controversy: An End to the Long-Running Story? M. Klitsch, Special Report, p. 37.

Questions of Balance: Issues Emerging from the Introduction of the Hormonal Implant, J. D. Forrest and L. Kaeser, Special Report, p. 127.

Law and Policy

State Legislation on Reproductive Health in 1992: What Was Proposed and Enacted, T. Sollom, Special Report, p. 87.

Males

Adolescent Males' Abortion Attitudes: Data from a National Survey, see **Teenagers**.

Adolescent Males' Orientation Toward Paternity and Contraception, see **Teenagers**.

Changes in Adolescent Males' Use of and Attitudes Toward Condoms, 1988–1991, see **Teenagers**.

Condom Characteristics: The Perceptions and Preferences of Men in the United States, see **Barrier Methods**.

Condom Use Among U.S. Men, 1991, see **Barrier Methods**.

Exploring Norms and Beliefs Related to AIDS Prevention Among California Hispanic Men, see **Sexually Transmitted Diseases**.

Male Teenagers Seem to Know More About Condoms, Are More Comfortable Obtaining Them Than Females, see **Barrier Methods**.

National Survey of Men: Design and Execution, see **Sexual Behavior**.

Perceptions of AIDS Risk and Severity and Their Association with Risk-Related Behavior Among U.S. Men, see **Sexually Transmitted Diseases**.

Semen Quality on the Decline? see **Reproductive Health**.

Sexual Behavior of Men in the United States, The, see **Sexual Behavior**.

Vasectomy and Prostate Cancer: More Questions Than Answers, see **Sterilization**.

Marriage and the Family

Family Instability, Stress Heighten Adolescents' Risk of Premarital Birth, see **Teenagers**.

U.S. Men and Women Now Have Highest Mean Age at Marriage in This Century, Census Bureau Finds, Digest, p. 190.

Maternal and Child Health

Black-White Differential in Very Low Birth Weight is Often Related to Serious Pregnancy Complications, see **Pregnancy and Childbirth**.

Do Vitamins Prevent Fetal Defects? Update, p. 51.

Fetal Growth Retardation May Be Lessened When High-Risk Women Maximize Prenatal Weight Gain, Digest, p. 281.

Health of Infants Born to Teenage Mothers Affected More by Family Background Than by Mother's Age, Digest, p. 191.

Infant Mortality at New Low, Update, p. 242.

Low-Birth-Weight Infants of Young Mothers Appear to Benefit When Their Grandmother Lives with Them, Digest, p. 238.

Obstacles to Prenatal Care Following Implementation of a Community-Based Program to Reduce Financial Barriers, see **Evaluation of Programs**.

Pregnant? Cut Down on the Coffee, Update, p. 195.

Preterm Delivery Is More Common for Black Women Than for Whites, Even in a Low-Risk Army Population, Digest, p. 188.

Risk of Late Fetal Death, Preterm Birth Increases in Women 30 and Older, Digest, p. 93.

U.S. Infant Deaths—Low and High, Update, p. 194.

Oral Contraceptives

Comparison of Contraceptive Implant Adopters and Pill Users in a Family Planning Clinic in Baltimore, see **Hormonal Implants and Injectables**.

New Route for Old Method, Update, p. 146.

Oral Contraceptive Use Does Not Raise Breast Cancer Risk for Women Older Then 40, Canadian Data Show, Digest, p. 142.

Oral Contraceptives and Reproductive Cancers: Weighing the Risks and Benefits, A. L. Coker, S. Harlap and J. A. Fortney, p. 17.

Pill Use and Abortion in Sweden, Update, p. 195.

Pill Use and Gallbladder Disease, Update, p. 242.

Pill Use and HIV Infectivity, Update, p. 243.

Pill Use and Ovarian Cancer, Update, p. 51.

Pill Use May Increase Bone Mass, Update, p. 50.

Risk of Cerebral Thrombosis Is Less for Lower Dose Oral Contraceptives than for Higher Dosage Pills, Digest, p. 237.

U.S. Women Get Two New Pills, Update, p. 2.

Postcoital Contraception

As Postcoital Contraceptive, Mifepristone Has Few Side Effects and High Efficacy, Digest, p. 48.

Can Clinics Give Postcoital Pills? Update, p. 98.

Pregnancy and Childbirth

All About Placenta Previa, Update, p. 194.

Aspirin vs. Preeclampsia, Update, p. 147.

Benefits of Sex During Pregnancy, Update, p. 195.

Black-White Differential in Very Low Birth Weight is Often Related to Serious Pregnancy Complications, Digest, p. 140.

Contraceptive and Sexual Practices Among Single Women with an Unplanned Pregnancy: Partner Influences, see **Contraceptive Practice**, p. 215.

Delay of Three Days or More in Seeking Care for Pelvic Inflammatory Disease Raises Risk of Ectopic Pregnancy, see **Reproductive Health**.

Do Vitamins Prevent Fetal Defects? see **Maternal and Child Health**.

Ectopic Pregnancy Cost: $1 Billion, Update, p. 99.

Fetal Growth Retardation May Be Lessened When High-Risk Women Maximize Prenatal Weight Gain, see **Maternal and Child Health**.

High-Risk Sex During Pregnancy, see **Sexually Transmitted Diseases**.

Mifepristone for Labor Induction, Update, p. 50.

Pregnant? Cut Down on the Coffee, see **Maternal and Child Health**.

Too Much of a Good Thing, Update, p. 2.

U.S. Cesarean Rates Unchanged, Update, p. 147.

Public Opinion

Measuring Public Attitudes on Abortion: Methodological and Substantive Considerations, E. A. Cook, T. G. Jelen and C. Wilcox, p. 118.

Reproductive Health

Coffee, Tea and Infertility, Update, p. 242.

Delay of Three Days or More in Seeking Care for Pelvic Inflammatory Disease Raises Risk of Ectopic Pregnancy, Digest, p. 282.

Early Cancer and Papillomavirus, see **Sexually Transmitted Diseases**.

Fat and Fecundity, Update, p. 147.

High Levels of Genital Tract Infection Found Among Abortion Patients, see **Abortion**.

Hysterectomy and Managed Care, Update, p. 147.

Late Births Raise Breast Cancer Risk, Update, p. 51.

Medical Training: What's Left Out, Update, p. 98.

Menstrual Complaints Rise with Increasing Years Since Tubal Sterilization, Digest, p. 95.

More Than Just Family Planning, Update, p. 99.

More than One Cervical Cancer Bug? Update, p. 194.

Oral Contraceptive Use Does Not Raise Breast Cancer Risk for Women Older Then 40, Canadian Data Show, see **Oral Contraceptives**.

Oral Contraceptives and Reproductive Cancers: Weighing the Risks and Benefits, see **Oral Contraceptives**.

PID Leads to 1.2 Million Doctor Visits and 276,000 Hospitalizations Annually, Digest, p. 46.

PID Risk and Douching, Update, p. 195.

Pill Use and Ovarian Cancer, see **Oral Contraceptives**.

Semen Quality on the Decline? Update, p. 2.

Smokers at Greater PID Risk, Update, p. 2

State Legislation on Reproductive Health in 1992: What Was Proposed and Enacted, see **Law and Policy**.

Trichomoniasis–Infertility Link, see **Sexually Transmitted Diseases**.

Sexuality Education

Challenging the Status Quo in Sexuality Education, Book Review of: *Sexuality and the Curriculum: The Politics and Practice of Sexuality Education*, J. T. Sears, ed. Rev. by P. M. Wilson, p. 41.

N. J. Teachers' Views on Sex Ed, Update, p. 50.

Sexual Behavior

Contraceptive and Sexual Practices Among Single Women with an Unplanned Pregnancy: Partner Influences, see **Contraceptive Practice**.

Data from the National AIDS Behavioral Surveys: I. Sexual Risk for Human Immunodeficiency Virus Infection Among Women in High-Risk Cities, O. A. Grinstead, B. Faigeles, D. Binson and R. Eversley, p. 252.

Data from the National AIDS Behavioral Surveys: II. Multiple Sexual Partners Among Hispanics in High-Risk Cities, F. Sabogal, B. Faigeles and J. A. Catania, p. 257.

Data from the National AIDS Behavioral Surveys: III. Multiple Sexual Partners Among Blacks in High-Risk Cities, J. L. Peterson, J. A. Catania, M. M. Dolcini and B. Faigeles, p. 263.

Data from the National AIDS Behavioral Surveys: IV. Multiple Sexual Partners Among Young Adults in High-Risk Cities, D. Binson, M. M. Dolcini, L. M. Pollack and J. A. Catania, p. 268.

Demographic Characteristics of Heterosexuals with Multiple Partners: The National AIDS Behavioral Surveys, M. M. Dolcini, J. A. Catania, T. J. Coates, R. Stall, E. S. Hudes, J. H. Gagnon and L. M. Pollack, p. 208.

Earlier First Sex Raises Risks, see **Sexually Transmitted Diseases**.

Estimating the Prevalence of Homosexual Behavior, J. P. Stokes and D. J. McKirnan, Letter, p. 184.

Landmark French and British Studies Examine Sexual Behavior, Including Multiple Partners, Homosexuality, Digest, p. 91.

Multiple Heterosexual Partners and Condom Use Among Hispanics and Non-Hispanic Whites, see **Barrier Methods**.

National Survey of Men: Design and Execution, K. Tanfer, Technical Note, p. 83.

Perceptions of AIDS Risk and Severity and Their Association with Risk-Related Behavior Among U.S. Men, see **Sexually Transmitted Diseases**.

Publicity About Magic Johnson May Have Led Some to Reduce Their Risky Behavior, Request HIV Testing, see **Sexually Transmitted Diseases**.

Risky Youth in Inner Cities, see **Teenagers**.

Sexual Behavior of Men in the United States, The, J.O.G. Billy, K. Tanfer, W.R. Grady and D.H. Klepinger, p. 52.

Teenage Sex and Other Risky Acts, see **Teenagers**.

Very Young and at Risk of HIV, see **Sexually Transmitted Diseases**.

Young Americans, the Unmarried and Blacks Are Most Likely to Have Had Multiple Partners in the Past Year, Digest, p. 92.

Sexually Transmitted Diseases

Acceptability of Dual Method Use, see **Barrier Methods**.

AIDS and the Motherless Child, Update, p. 50.

AIDS Risk Among Hispanics, Update, p. 99.

Americans Generally Well-Informed About AIDS, but Many Lack Knowledge About Preventive Aspects, Digest, p. 139.

Condom Use Is Low Among U.S. Heterosexuals at Risk of HIV Infection; 15% of Population Has at Least One Risk Factor, see **Barrier Methods**.

Data from the National AIDS Behavioral Surveys: I. Sexual Risk for Human Immunodeficiency Virus Infection Among Women in High-Risk Cities, see **Sexual Behavior**.

Data from the National AIDS Behavioral Surveys: II. Multiple Sexual Partners Among Hispanics in High-Risk Cities, see **Sexual Behavior**.

Data from the National AIDS Behavioral Surveys: III. Multiple Sexual Partners Among Blacks in High-Risk Cities, see **Sexual Behavior**.

Data from the National AIDS Behavioral Surveys: IV. Multiple Sexual Partners Among Young Adults in High-Risk Cities, see **Sexual Behavior**.

Decade of STDs Among Youths, A, Update, p. 243.

Demographic Characteristics of Heterosexuals with Multiple Partners: The National AIDS Behavioral Surveys, see **Sexual Behavior**

Earlier First Sex Raises Risks, Update, p. 3.

Early Cancer and Papillomavirus, Update, p. 3.

Exploring Norms and Beliefs Related to AIDS Prevention Among California Hispanic Men, K. A. Forrest, D. M. Austin, M. I. Valdes, E. G. Fuentes and S. R. Wilson, p. 111.

High Levels of Genital Tract Infection Found Among Abortion Patients, see **Abortion**.

High-Risk Sex During Pregnancy, Update. p. 51.

HIV-Infected and Unaware, Update, p. 243.

Infection History and Prophylaxis, Update, p. 3.

More than One Cervical Cancer Bug? see **Reproductive Health**.

Perceptions of AIDS Risk and Severity and Their Association with Risk-Related Behavior Among U.S. Men, D.H. Klepinger, J.O.G. Billy, K. Tanfer and W.R. Grady, p. 74.

Pill Use and HIV Infectivity, see **Oral Contraceptives**.

Publicity About Magic Johnson May Have Led Some to Reduce Their Risky Behavior, Request HIV Testing, Digest, p. 192.

STDs and the Corporate World, Update, p. 99.

Successful Chlamydia Screening, Update, p. 99.

Trichomoniasis–Infertility Link, Update, p. 146.

Very Young and at Risk of HIV, Update, p. 147.

Women's HIV Often Unrecognized, Update, 146.

Sterilization

Menstrual Complaints Rise with Increasing Years Since Tubal Sterilization, see **Reproductive Health**.

Public Funding for Contraceptive, Sterilization and Abortion Services, Fiscal Year 1992, see **Government Policy, Programming and Funding**

Vasectomy and Prostate Cancer: More Questions Than Answers, M. Klitsch, Special Report, p. 133.

Teenagers

Adolescent Males' Abortion Attitudes: Data from a National Survey, W. Marsiglio and C. L. Shehan, p. 162.

Adolescent Males' Orientation Toward Paternity and Contraception, W. Marsiglio, p. 22.

Are Socioeconomic Effects of Teenage Birth Smaller than Previously Thought? Digest, p. 239.

Changes in Adolescent Males' Use of and Attitudes Toward Condoms, 1988–1991, J. H. Pleck, F. L. Sonenstein and L. Ku, p. 106.

Data from the National AIDS Behavioral Surveys: IV. Multiple Sexual Partners Among Young Adults in High-Risk Cities, see **Sexual Behavior**.

Decade of STDs Among Youths, A, see **Sexually Transmitted Diseases**.

Do School-Based Clinics Reduce Birthrates? D. Hauser and G. Peak; and L. Edwards, C. Ball, C. Reif and D. Zimmerman, Letters, p. 136.

Earlier First Sex Raises Risks, see **Sexually Transmitted Diseases**.

Educational Outcomes in Teenage Pregnancy and Parenting Programs: Results from a Demonstration, see **Evaluation of Programs**.

Effects of School-Based Clinics in St. Paul on School-Wide Birthrates, The, D. Kirby, M.D. Resnick, B. Downes, T. Kocher, P. Gunderson, S. Potthoff, D. Zelterman and R. W. Bium, p. 12.

Family Instability, Stress Heighten Adolescents' Risk of Premarital Birth, Digest, p. 284.

Health of Infants Born to Teenage Mothers Affected More by Family Background Than by Mother's Age, see **Maternal and Child Health**.

High-Risk Sex During Pregnancy, see **Sexually Transmitted Diseases**.

Inner-City Teenagers Are at Higher Risk of Preterm Delivery for Their Second Birth Than for Their First, Digest, p. 280.

Low-Birth-Weight Infants of Young Mothers Appear to Benefit When Their Grandmother Lives with Them, see **Maternal and Child Health**.

Male Teenagers Seem to Know More About Condoms, Are More Comfortable Obtaining Them Than Females, see **Barrier Methods**.

Pill Use and Abortion in Sweden, see **Oral Contraceptives**.

Pregnancy Risk Lessened for Teenagers with High Educational Aspirations, Digest, p. 189.

Program Offers Counseling and Condoms to Philadelphia Students, see **Evaluation of Programs**.

Risky Youth in Inner Cities, Update, p. 194.

Socioeconomic Consequences of Teenage Childbearing: Findings from a Natural Experiment, The, J. Grogger and S. Bronars, p. 156.

Some Teenagers Say They Might Not Seek Health Care If They Could Not Be Assured of Confidentiality, Digest, p. 187.

Teenage Abortion, Birth and Pregnancy Statistics by State, 1988, S. K. Henshaw, Research Note, p. 122.

Teenage Parenthood: New Research Challenges Old Assumptions, Book Review of: *Early Parenthood and Coming of Age in the 1990s*, M. K. Rosenheim and M. F. Testa, eds. Rev. by M. Howard, p. 232.

Teenage Sex and Other Risky Acts, p. 3.

Very Young and at Risk of HIV, see **Sexually Transmitted Diseases**.

Young Women More Likely to Use Condoms with New Partners Who Prefer Method, see **Barrier Methods**.

Author Index

Anderson, J., see O'Campo, P.

Austin, D. M., see Forrest, K. A.

Ball, C., see Edwards, L.

Billy, J.O.G., Tanfer, K., Grady, W.R., and Klepinger, D.H., The Sexual Behavior of Men in the United States, p. 52.

Billy, J.O.G., see Grady, W.R.; Klepinger, D.H.; and Tanfer, K.

Binson, D., Dolcini, M.M., Pollack, L.M., and Catania, J.A., Data from the National AIDS Behavioral Surveys: IV. Multiple Sexual Partners Among Young Adults in High-Risk Cities, p. 268.

Binson, D., see Grinstead, O.A.

Blum, R.W., see Kirby, D.

Bronars, S., see Grogger, J.

Catania, J.A., see Binson, D.; Dolcini, M.M.; Peterson, J.L.; and Sabogal, F.

Christianson, J.B., see Warrick, L.

Coates, T.J., see Dolcini, M.M.

Coker, A.L., Harlap, S., and Fortney, J.A., Oral Contraceptives and Reproductive Cancers: Weighing the Risks and Benefits, p. 17.

Cook, E.A., Jelen, T.G., and Wilcox, C., Measuring Public Attitudes on Abortion: Methodological and Substantive Considerations, p. 118.

Cook, P.C., see Warrick, L.

Daley, D., and Gold, R.B., Public Funding for Contraceptive, Sterilization and Abortion Services, Fiscal Year 1992, p. 244.

Dana, K.H., see Weisman, C.S.

Dickens, B.M., Abortion from Statistics to Ethics, Book Review, p. 182.

Dolcini, M. M., Catania, J. A., Coates, T. J., Stall, R., Hudes, E. S., Gagnon, J. H., and Pollack, L. M., Demographic Characteristics of Heterosexuals with Multiple Partners: The National AIDS Behavioral Surveys, p. 208.

Dolcini, M. M., see Binson, D.; and Peterson, J. L.

Donovan, P., The Restoration of Abortion Services at Cook County Hospital, Special Report, p. 227.

Downes, B., see Kirby, D.

Edwards, L., Ball, C., Reif, C., and Zimmerman, D., Do School-Based Clinics Reduce Birthrates? Letter, p. 137.

Eversley, R., see Grinstead, O. A.

Faber, K. S., see Harvey, S. M.

Faden, R. R., see O'Campo, P.

Faigeles, B., see Grinstead, O. A.; Peterson, J. L.; and Sabogal, F.

Fordyce, R. R., see Forrest, J. D.

Forrest, J. D., and Fordyce, R. R., Women's Contraceptive Attitudes and Use in 1992, p. 175.

Forrest, J. D., and Kaeser, L., Questions of Balance: Issues Emerging from the Introduction of the Hormonal Implant, Special Report, p. 127.

Forrest, K. A., Austin, D. M., Valdes, M. I., Fuentes, E. G., and Wilson, S. R., Exploring Norms and Beliefs Related to AIDS Prevention Among California Hispanic Men, p. 111.

Fortney, J. A., see Coker, A. L.

Frost, J., see Gold, R. B.

Fuentes, E. G., see Forrest, K. A.

Gagnon, J. H., see Dolcini, M. M.

Gielen, A. C., see O'Campo, P.

Glover, L., see Steiner, M.

Gold, R. B., Singh, S., and Frost, J., The Medicaid Eligibility Expansions for Pregnant Women: Evaluating the Strength of State Implementation Efforts. p. 196.

Gold, R. B., see Daley, D.

Gómez, C. A., see Marín, B. V. O.

Grady, W. R., Klepinger, D. H., and Billy, J. O. G., The Influence of Community Characteristics on the Practice of Effective Contraception, p. 4.

Grady, W. R., Klepinger, D. H., Billy, J. O. G., and Tanfer, K., Condom Characteristics: The Perceptions and Preferences of Men in the United States, p. 67.

Grady, W. R., see Billy, J. O. G.; Klepinger, D. H.; and Tanfer, K.

Grinstead, O. A., Faigeles, B., Binson, D., and Eversley, R., Data from the National AIDS Behavioral Surveys: I. Sexual Risk for Human Immunodeficiency Virus Infection Among Women in High-Risk Cities, p. 252.

Grogger, J., and Bronars, S., The Socioeconomic Consequences of Teenage Childbearing: Findings from a Natural Experiment, p. 156.

Gunderson, P., see Kirby, D.

Harlap. S., see Coker, A. L.

Harvey, S. M., and Faber, K. S., Obstacles to Prenatal Care Following Implementation of a Community-Based Program to Reduce Financial Barriers, p. 32.

Hauser, D., and Peak, G., Do School-Based Clinics Reduce Birthrates? Letter, p. 136.

Hearst, N., see Marín, B. V. O.

Henshaw, S. K., Teenage Abortion, Birth and Pregnancy Statistics by State, 1988, Research Note, p. 122.

Howard, M., Teenage Parenthood: New Research Challenges Old Assumptions, Book Review, p. 232.

Hudes, E. S., see Dolcini, M. M.

Jelen, T. G., see Cook, E. A.

Joanis, C., see Steiner, M.

Kaeser, L., see Forrest, J. D.

Kass, N., see O'Campo, P.

Kirby, D., Resnick, M. D., Downes, B., Kocher, T., Gunderson, P., Potthoff, S., Zelterman, D., and Blum, R. W., The Effects of School-Based Clinics in St. Paul on School-Wide Birthrates, p. 12.

Klepinger, D. H., Billy, J. O. G., Tanfer, K., and Grady, W. R., Perceptions of AIDS Risk and Severity and Their Association with Risk-Related Behavior Among U. S. Men, p. 74.

Klepinger, D. H., see Billy, J. O. G.; Grady, W. R.; and Tanfer, K.

Klitsch, M., Injectable Hormones and Regulatory Controversy: An End to the Long-Running Story? Special Report, p. 37; Vasectomy and Prostate Cancer: More Questions Than Answers, Special Report, p. 133.

Kocher, T., see Kirby, D.

Ku, L., see Pleck, J. H.

Marín, B. V. O., Gómez, C. A., and Hearst, N., Multiple Heterosexual Partners and Condom Use Among Hispanics and Non-Hispanic Whites, p. 170.

Marsiglio, W., Adolescent Males' Orientation Toward Paternity and Contraception, p. 22.

Marsiglio, W., and Shehan, C. L., Adolescent Males' Abortion Attitudes: Data from a National Survey, p. 162.

McKirnan, D. J., see Stokes, J. P.

O'Campo, P., Faden, R. R., Gielen, A. C., Kass, N., and Anderson, J., Contraceptive and Sexual Practices Among Single Women with an Unplanned Pregnancy: Partner Influences, p. 215.

Peak, G., see Hauser, D.

Peterson, J. L., Catania, J. A., Dolcini, M. M., and Faigeles, B., Data from the National AIDS Behavioral Surveys: III. Multiple Sexual Partners Among Blacks in High-Risk Cities, p. 263.

Piedrahita, C., see Steiner, M.

Pleck, J. H., Sonenstein, F. L., and Ku, L., Changes in Adolescent Males' Use of and Attitudes Toward Condoms, 1988–1991, p. 106.

Plichta, S. B., see Weisman, C. S.

Pollack, L. M., see Binson, D.; and Dolcini, M. M.

Potthoff, S., see Kirby, D.

Reif, C., see Edwards, L.

Resnick, M. D., see Kirby, D.

Ryder, N. B., Reflections on Replacement, Comment, p. 273.

Sabogal, F., Faigeles, B., and Catania, J. A., Data from the National AIDS Behavioral Surveys: II. Multiple Sexual Partners Among Hispanics in High-Risk Cities, p. 257.

Shehan, C. L., see Marsiglio, W.

Singh, S., see Gold, R. B.

Sollom, T., State Legislation on Reproductive Health in 1992: What Was Proposed and Enacted, Special Report, p. 87.

Sonenstein, F. L., see Pleck, J. H.

Stall, R., see Dolcini, M. M.

Steiner, M., and Joanis, C., Acceptability of Dual Method Use, Letter, p. 234.

Steiner, M., Piedrahita, C., Glover, L., and Joanis, C., Can Condom Users Likely to Experience Condom Failure Be Identified? p. 220.

Stokes, J. P., and McKirnan, D. J., Estimating the Prevalence of Homosexual Behavior, Letter, p. 184.

Strickler, J., see Trussell, J.

Tanfer, K., Grady, W. R., Klepinger, D. H., and Billy, J. O. G., Condom Use Among U. S. Men, 1991, p. 61.

Tanfer, K., National Survey of Men: Design and Execution, Technical Note, p. 83; see also Billy, J. O. G.; Grady, W. R.; and Klepinger, D. H.

Tirado, D. E., see Weisman, C. S.

Trussell, J., Strickler, J., and Vaughan, B., Contraceptive Efficacy of the Diaphragm, the Sponge and the Cervical Cap, p. 100.

Valdes, M. I., see Forrest, K. A.

Vaughan, B., see Trussell, J.

Walruff, J., see Warrick, L.

Warrick, L., Christianson, J. B., Walruff, J., and Cook, P. C., Educational Outcomes in Teenage Pregnancy and Parenting Programs: Results from a Demonstration, p. 148.

Weisman, C. S., Plichta, S. B., Tirado, D. E., and Dana, K. H., Comparison of Contraceptive Implant Adopters and Pill Users in a Family Planning Clinic in Baltimore, p. 224.

Wilcox, C., see Cook, E. A.

Wilson, P. M., Challenging the Status Quo in Sexuality Education, Book Review, p. 41.

Wilson, S. R., see Forrest, K. A.

Zelterman, D., see Kirby, D.

Zimmerman, D., see Edwards, L.